

License #: 00000116DCJL00597353 Sample ID: 2411SMAZ1388.4202 Batch #: AZ MB B110



CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 9152

WYLD Marionberry 100mg THC

Batch #: AZ MB B110

Strain: Indica

Parent Batch #: 240719-001SG

Production Method: Coconut Oil

Harvest Date: 03/19/2024

Received: 11/01/2024

Sample ID: 2411SMAZ1388.4202

Amount Received: 40.9 g Sample Type: Soft Chew

Sample Collected: 11/01/2024 11:17:00

Manufacture Date: 10/30/2024

Published: 11/05/2024



COMPLIANCE FOR RETAIL

Regulated Analytes

Cannabinoid Profile (Q3)

Tested

Microbial Contaminants

Pass

Residual Solvents

Pass

Pesticides, Fungicides, and Growth Regulators

Pass

Mycotoxins

Pass

Heavy Metals

Pass

Additional Analytes (Not Regulated)

Terpenes Total (Q3)

Not Tested

Moisture Analysis (Q3)

Not Tested

Water Activity (Q3)

Not Tested

Filth & Foreign (Q3)

Not Tested

Homogeneity (Q3)
Not Tested

Additional Microbial Contaminants (Q3)

Not Tested

11.108 mg/serving 111.084 mg/container Total THC

> <LOQ Total CBD

0.094 mg/serving 0.941 mg/container CBN

0.372 mg/serving 3.722 mg/container CBG

11.644 mg/serving 116.442 mg/container Total Cannabinoids (Q3)

Ahmed Munshi

Technical Laboratory Director

AMMunshi







License #: 00000116DCJL00597353 Sample ID: 2411SMAZ1388.4202 Batch #: AZ MB B110 SMITHERS

CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 9152

Cannabinoid Profile

HPLC

Tested

Sample Prep

Batch Date: 11/01/2024

SOP: 418.AZ Batch Number: 2182

Sample Analysis

Date: 11/04/2024 SOP: 417.AZ - HPLC Sample Weight: 1.079 g Volume: 10 mL

Analyte	LOD (mg/g)	LOQ (mg/g)	Dil.	Actual % (w/w)	mg/g	mg/serving	mg/package	Qualifier
CBC	0.003	0.009	1	ND	ND	ND	ND	
CBD	0.003	0.009	1	<loq< td=""><td><loq< td=""><td><loq< td=""><td><loq< td=""><td></td></loq<></td></loq<></td></loq<></td></loq<>	<loq< td=""><td><loq< td=""><td><loq< td=""><td></td></loq<></td></loq<></td></loq<>	<loq< td=""><td><loq< td=""><td></td></loq<></td></loq<>	<loq< td=""><td></td></loq<>	
CBDA	0.003	0.009	1	ND	ND	ND	ND	
CBDV	0.003	0.009	1	ND	ND	ND	ND	
CBG	0.003	0.009	1	0.009	0.091	0.372	3.722	
CBGA	0.003	0.009	1 //	ND	ND	ND	ND	
CBN	0.003	0.009	1/	0.002	0.023	0.094	0.941	
d8-THC	0.003	0.009	1	ND	ND	ND	ND	
d9-THC	0.003	0.009	/1	0.272	2.716	11.108	111.084	
THCA	0.003	0.009	1	ND	ND	ND	ND	
THCV	0.003	0.009	1	0.002	0.016	0.065	0.654	

Cannabinoid Totals	Actual % (w/w)	mg/g	mg/serving	mg/package	Qualifier
Total THC	0.272	2.716	11.108	111.084	
Total CBD	<loq< td=""><td><loq< td=""><td><loq< td=""><td><loq< td=""><td></td></loq<></td></loq<></td></loq<></td></loq<>	<loq< td=""><td><loq< td=""><td><loq< td=""><td></td></loq<></td></loq<></td></loq<>	<loq< td=""><td><loq< td=""><td></td></loq<></td></loq<>	<loq< td=""><td></td></loq<>	
Total Cannabinoids	0.285	2.847	11.644	116.442	Q3

Total THC = THC + (0.877 x THCA) and Total CBD = CBD + (0.877 x CBDA) ND = Not Detected, NT = Not Tested, <LOQ = Below Limit of Quantitation Serving Weight: 4.09 None; Servings/Package: 10

Ahmed Munshi

Technical Laboratory Director

AMMunshi







License #: 00000116DCJL00597353 Sample ID: 2411SMAZ1388.4202 Batch #: AZ MB B110



CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 9152

Microbial Analysis

Pass

Sample Prep

Batch Date: 11/04/2024 SOP: 431.AZ Batch Number: 2189

Sample Analysis

Date: 11/05/2024

SOP: 431.AZ - TEMPO (MPN) Sample Weight: 1.046 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
E. coli	< 10 CFU/g	< 10 CFU/g	Pass	

Sample Prep

Batch Date: 11/04/2024

SOP: 406.AZ Batch Number: 2188

Sample Analysis

Date: 11/05/2024 SOP: 406.AZ - qPCR (MG) Sample Weight: 1.004 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Salmonella	Not Detected in One Gram	Not Detected in One Gram	Pass	

Ahmed Munshi

Technical Laboratory Director

AMMunshi







Certificate: 9152

Northwest Confections Arizona

License #: 00000116DCJL00597353 Sample ID: 2411SMAZ1388.4202

Batch #: AZ MB B110



CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Residual Solvents

HS-GC-MS

Pass

Sample Prep

Batch Date: 11/01/2024 SOP: 405.AZ

Batch Number: 2176

Sample Analysis

Date: 11/04/2024 SOP: 405.AZ - HS-GC-MS Sample Weight: 0.0508 g

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Acetone	65 / 197	1	1000	ND		Heptane	329 / 984	1	5000	ND	
Acetonitrile	28/81	1	410	ND		Hexanes	47 / 143	1	290	ND	
Benzene	0.14 / 0.39	1	2	ND		Isopropyl acetate	329 / 984	1	5000	ND	
Butanes	163 / 492	1	5000	ND		Methanol	197 / 591	1	3000	ND	
Chloroform	4/12	1	60	ND		Pentanes	329 / 984	1	5000	ND	
Dichloromethane	39 / 118	1	600	ND		2-Propanol (IPA)	329 / 984	1	5000	ND	
Ethanol	329 / 984	1	5000	ND /		Toluene	59 / 175	1	890	ND	
Ethyl acetate	329 / 984	1/	5000	ND		Xylenes	285 / 854	1	2170	ND	
Ethyl ether	329 / 984	1	5000	/ND	/						



Technical Laboratory Director









License #: 00000116DCJL00597353

Sample ID: 2411SMAZ1388.4202 Batch #: AZ MB B110



CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 9152

Heavy Metals

ICP-MS

Pass

Sample Prep

Batch Date: 11/04/2024

SOP: 428.AZ Batch Number: 2185

Sample Analysis

Date: 11/04/2024 SOP: 428.AZ - ICP-MS Sample Weight: 0.248 g Volume: 6 mL

Analyte	LOD (ppm)	LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Arsenic	0.048	0.161	10	0.4	ND	
Cadmium	0.048	0.161	10	0.4	ND	
Lead	0.048	0.403	10	1	ND	
Mercury	0.048	0.081	10	0.2	ND	

Mycotoxin Analysis

LC-MS/MS

Pass

Sample Prep

Batch Date: 10/31/2024 SOP: 432.AZ

Batch Number: 2175

Sample Analysis

Date: 11/04/2024 SOP: 424.AZ - LC-MS/MS Sample Weight: 0.534 g Volume: 12.5 mL

Analyte	LOD (ppb)	LOQ (ppb)	Dil.	Action Limit (ppb)	Results (ppb)	Qualifier
Total Aflatoxins	3.75	9.36	1	20	ND	
Aflatoxin B1	3.75	9.36	1		ND	
Aflatoxin B2	3.75	9.36	1		ND	
Aflatoxin G1	3.75	9.36	1		ND	
Aflatoxin G2	3.75	4.68	1		ND	
Ochratoxin A	9.36	9.36	1	20	ND	I1

Ahmed Munshi

Technical Laboratory Director

AMMunshi







License #: 00000116DCJL00597353 Sample ID: 2411SMAZ1388.4202 Batch #: AZ MB B110



CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 9152

Pesticides, Fungicides, and Growth Regulators

LC-MS/MS Pass

Sample Prep

Batch Date: 10/31/2024 SOP: 432.AZ Batch Number: 2175

Sample Analysis

Date: 11/04/2024 SOP: 424.AZ - LC-MS/MS Sample Weight: 0.534 g Volume: 12.5 mL

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Abamectin B1a	0.078 / 0.234	1	0.5	ND		Hexythiazox	0.156 / 0.468	1	1	ND	
Acephate	0.063 / 0.187	1	0.4	ND		Imazalil	0.031/0.094	1	0.2	ND	M2
Acetamiprid	0.031/0.094	1	0.2	ND		Imidacloprid	0.063 / 0.187	1	0.4	ND	
Aldicarb	0.063 / 0.187	1	0.4	ND		Kresoxim-methyl	0.063 / 0.187	1	0.4	ND	
Azoxystrobin	0.031 / 0.094	1	0.2	ND		Malathion	0.031/0.094	1	0.2	ND	
Bifenazate	0.031/0.094	1	0.2	ND		Metalaxyl	0.031 / 0.094	1	0.2	ND	
Bifenthrin	0.031/0.094	1 /	0.2	ND/		Methiocarb	0.031 / 0.094	1	0.2	ND	
Boscalid	0.063 / 0.187	1/	0.4	ND		Methomyl	0.063 / 0.187	1	0.4	ND	
Carbaryl	0.031 / 0.094	<u>/1</u>	0.2	ND		Myclobutanil	0.031 / 0.094	1	0.2	ND	
Carbofuran	0.031 / 0.094	1	0.2	ND		Naled	0.078 / 0.234	1	0.5	ND	
Chlorantraniliprole	0.031/0.094	1	0.2	ND		Oxamyl	0.156 / 0.468	1	1	ND	
Chlorfenapyr	0.156 / 0.468	1	1	ND		Paclobutrazol	0.063 / 0.187	1	0.4	ND	
Chlorpyrifos	0.031/0.094	1	0.2	ND		Permethrins	0.031 / 0.094	1	0.2	ND	
Clofentezine	0.031 / 0.094	1	0.2	ND		Phosmet	0.031/0.094	1	0.2	ND	
Cyfluthrin	0.156 / 0.468	1	1	ND		Piperonyl Butoxide	0.312 / 0.936	1	2	ND	
Cypermethrin	0.156 / 0.468	1	1	ND	M2	Prallethrin	0.031 / 0.094	1	0.2	ND	
Daminozide	0.156 / 0.468	1	1	ND	\	Propiconazole	0.063 / 0.187	1	0.4	ND	
Diazinon	0.031 / 0.094	1	0.2	ND		Propoxur	0.031 / 0.094	1	0.2	ND	
Dichlorvos	0.016 / 0.047	1	0.1	ND		Pyrethrins	0.131 / 0.392	1	1	ND	
Dimethoate	0.031/0.094	1	0.2	ND		Pyridaben	0.031 / 0.094	1	0.2	ND	
Ethoprophos	0.031 / 0.094	1	0.2	ND		Spinosad	0.031 / 0.094	1	0.2	ND	M2
Etofenprox	0.063 / 0.187	1	0.4	ND		Spiromesifen	0.031 / 0.094	1	0.2	ND	
Etoxazole	0.031 / 0.094	1	0.2	ND		Spirotetramat	0.031 / 0.094	1	0.2	ND	
Fenoxycarb	0.031/0.094	1	0.2	ND \		Spiroxamine	0.063 / 0.187	1	0.4	ND	M2
Fenpyroximate	0.063 / 0.187	1	0.4	ND		Tebuconazole	0.063 / 0.187	1	0.4	ND	
Fipronil	0.063 / 0.187	1	0.4	ND		Thiacloprid	0.031 / 0.094	1	0.2	ND	
Flonicamid	0.156 / 0.468	1	1	ND	/	Thiamethoxam	0.031 / 0.094	1	0.2	ND	
Fludioxonil	0.063 / 0.187	1	0.4	ND /		Trifloxystrobin	0.031 / 0.094	1	0.2	ND	

Ahmed Munshi

Technical Laboratory Director









License #: 00000116DCJL00597353 Sample ID: 2411SMAZ1388.4202 Batch #: AZ MB B110



CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 9152

Qualifier Legend

- B1 The target analyte detected in the calibration is at or above the limit of quantitation, but the sample result for potency testing, is below the limit of quantitation.
- B2 The target analyte detected in the calibration blank, or the method blank is at or above the limit of quantitation, but the sample result when testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, is below the maximum allowable concentration for the analyte.
- D1 The limit of quantitation and the sample results were adjusted to reflect sample dilution.
- 11 The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance with respect to the reference spectra, indicating interference.
- When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits, but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.
- M1 The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria.
- M2 The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria.
- M3 The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria.
- M4 The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria.
- M5 The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample.
- M6 A description of the variance is described in the final report of testing according to R9-17-404.06(B)(3)(d)(ii).
- Q1 Sample integrity was not maintained.
- Q2 The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices.
- Q3 Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317.
- R1 The relative percent difference for the laboratory control sample and duplicate exceeded the limit, but the recovery was within acceptance criteria.
- R2 The relative percent difference for a sample and duplicate exceeded the limit.
- The recovery from continuing calibration verification standards exceeded the acceptance limits, but the sample's target analytes were not detected above the maximum allowable for the analytes in the sample.

Cultivated By: 00000057DCHF00477864 Manufactured By: 00000116DCJL00597353

Disclaimer: Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

Ahmed Munshi

Technical Laboratory Director

AMMunshi





License #: 00000116DCJL00597353 Sample ID: 2411SMAZ1388.4202 Batch #: AZ MB B110



CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 9152

Notes: Standard compliance



Ahmed Munshi

Technical Laboratory Director

AMMunshi



